

MATERIAL SAFETY DATA SHEET

Product: NNL 690G PAGE 1 of 1

Date Revised: 3/07/2008, Rev: 4.0

SECTION I: Chemical Product and Company Identification

Product Identifier: NNL 690G

Manufacturer: WYS Manufacturing Ltd.

Bay 7 & 8, 4216 – 54th Ave. SE

Calgary, Alberta T2C 2E3

Canada

Supplier: Maryn International Ltd.

Bay 5 & 6, 4216 – 54th Ave. SE

Calgary, Alberta T2C 2E3

Canada

Product use: Used as a 1%, 3%, or 5% additive to conventional lubricants.

Emergency Phone Number: CANUTEC – 24 hr Emergency No. 1-613-996-6666

Business Hour Number 1-403-252-2239

(Monday through Friday 8:00am to 4:30pm MST)

SECTION II: Composition/ Information on Ingredients

Hazardous Ingredients	Concentration %	C.A.S. #	Exposure limit	LD ₅₀ (Species/Route)	LC50 (Species/Route)
Isopropylphenyl phosphate	1 – 5%	68937-41-7	NA	NA	NA
Acrylic Copolymer	3 -10%	Trade Secret	NA	NA	NA

SECTION III: Hazards Identification

Emergency Overview

No hazards under normal conditions of use.

Route of entry Skin and eye contact are the primary routes of exposure to this product.

Ingestion No significant hazard. Minimal toxicity. Ingestion of large amounts may cause intestinal blockage. If

drawn into lungs from swallowing or vomiting, may cause bronchopneumonia or pulmonary edema.

Inhalation No inhalation dangers at room temperature as there are no vapors. If product is misted at elevated

temperature, high concentration of vapor and/or mist may cause irritation, experienced as nasal discomfort

and discharge.

Skin Contact Frequent or prolonged contact may irritate the skin and cause a skin rash.

Eye Contact Slight irritation to the eyes but will not cause injury to the eye tissue.



MATERIAL SAFETY DATA SHEET

Product: NNL 690G

PAGE 2 of 1

Date Revised: 3/07/2008, Rev: 4.0

Effects of Chronic

Repeated exposure over prolonged periods of time may cause irritation to the skin, respiratory system and

Exposure

eyes. Follow good industrial hygiene practices to avoid exposure.

Effects of Acute

Breathing mist caused by high temperature or swallowing large quantities may be irritating to skin,

Exposure

respiratory system, mucous membranes and eyes.

SECTION IV: First Aid Measures

Ingestion Do not induce vomiting. Call physician immediately.

Skin Contact Wash well with soap and water. Launder clothes prior to re-use.

Inhalation If excessive fumes, remove victim to fresh air. If no relief is obtained, consult physician.

Eye Contact Flush with clean tepid water for 15 minutes keeping eyelids open. If irritation persists, consult physician.

Notes to Physician Not available.

SECTION V: Fire-Fighting Measures

Flammability Non flammable at ambient temperature. Liquid may burn at

temperatures above flash point if exposed to an open flame.

Means of Extinction Carbon dioxide foam, dry chemicals, Keep containers cool with water spray. When fighting fire, treat

as petroleum product, wear full protective clothing, including NIOSH approved self-contained

breathing apparatus. Avoid spreading with water flooding.

Flash Point (ASTM

D92)

170°C (338°F)

Upper Flammability Not Det

Not Determined.

Lower Flammability

Not Determined.

Limits

Auto Ignition

Not Determined.

Temperature

Hazardous

Oxides of carbon, sulfur and dense smoke

Combustion Products

Fire and Explosion

None

Hazards

Sensitivity to Static

None at normal temperatures below flash point. Do not cut, weld, or pressurize empty container.

Discharge Container may explode in heat of fire.

SECTION VI: Accidental Release Measures

Personal Protection Wear suitable protective equipment. Eliminate sources and or potential sources of ignition.

Environmental Product has very low solubility in water. Do not flush to sewers, streams or other bodies of water.

Precautions For disposal, see Section XIII.

Methods for cleaning

Absorb on inert material such as sand, earth, vermiculite. Sweep up and collect in a suitable container

up for disposal. Observe government regulations.



MATERIAL SAFETY DATA SHEET

Product: NNL 690G

PAGE 3 of 1

Date Revised: 3/07/2008, Rev: 4.0

Large spills Stop leak if without risk. Dike to contain spill. Pump excess material into suitable container (metal

drums, metal tanks, or such).

SECTION VII: Handling and Storage

Handling Avoid excess heat, formation of oil mist, breathing vapors and mist from hot oil, and prolonged or repeated contact

with skin

Storage Store in a cool well ventilated area. Keep away from heat spark and open flame.

SECTION VIII: Exposure Controls / Personal Protection

Component	Value	Туре	Remark
Mineral Oil Mist	5 mg/m ³ 10 mg/m ³	TWA (mist) ACGIH STEL(mist) ACGIH	If used in a way that generates a mist, observe the limits for mineral oil mist

Engineering For normal application, special ventilation is not necessary. If user's operation generates mist, use

Controls ventilation to keep exposure to airborne contaminants below exposure limits

Respiratory Use approved respirator with dual organic vapor / mist and particulate cartridge if vapor concentration

Protection exceeds permissible exposure limit

Eye Protection Use chemical splash goggles if risk of splashing present.

Skin Protection Use rubber or plastic apron.

Hand Protection Use oil resistant gloves.

SECTION IX: Physical and Chemical Properties

Physical State: Liquid

Odour: Mild petroleum odour
Appearance: Clear, light amber
Odour Threshold: Not established
Specific Gravity: 0.965 at 20°C (68°F)

Vapour Pressure: $<1.00 \text{ mm Hg at } 20^{\circ}\text{C}$, It may be as low as $<0.02 \text{ mm Hg at } 20^{\circ}\text{C}$

Vapor Density:Not availableEvaporation Rate:Not availableBoiling Point:>230°C (>446°F)Pour Point:-35°C (-31°F)Solubility in Water:InsolublepH:Not available

Partitioning Coefficient: Not available



MATERIAL SAFETY DATA SHEET

Product: NNL 690G

PAGE 4 of 1

Date Revised: 3/07/2008, Rev: 4.0

SECTION X: Stability and Reactivity

Chemical Stability: Stable

Incompatibility: Avoid contact with oxidizing agents, reducing agents, and ignition source.

Reactivity: No reactivity **Polymerization:** Will not occur

Decomposition Products: Oxides of carbon, sulfur and dense smoke.

SECTION XI: Toxicological Information

Skin Contact Frequent or prolonged contact may irritate the skin and cause a skin rash.

Skin Absorption No evidence of adverse effects from available information. Prolonged contact may cause mild irritation.

Eve Contact Slight irritation to eyes, but will not injure eye tissue.

Inhalation No inhalation dangers at room temperature as there are no vapours. If the product is misted, high

concentrations of vapours and/or mist may cause irritation, experienced as nasal discomfort and

discharge.

Ingestion No significant hazard. Minimal toxicity. Ingestion of large amounts may cause intestinal obstruction. If

drawn into lungs from swallowing or vomiting, may cause bronchopneumonia or pulmonary edema.

Sensitization: Repeated or prolonged contact may cause sensitization in some individuals.

Carcinogenicity: This product contains material that has not been listed as a carcinogen or potential carcinogen by either

the National Toxicology Program, International Agency for Research on Cancer, or the Occupational

Safety and Health Administration.

Reproductive

Teratogenicity:

Toxicity:

No information is available and no adverse effects are anticipated.

No information is available and no adverse effects are anticipated.

Mutagenicity: No information is available and no adverse effects are anticipated

SECTION XII: Ecological information

Environmental Fate:

No specific environmental fate data is available. This product is not expected to be readily biodegradable.

Environmental Effects:

No specific toxicity or environmental effect data is available.

SECTION XIII: Disposal Consideration

RCRA 40 CFR 261 Classification Not listed US EPA Waste Number / Classification Not available

Waste Disposal

Dispose of waste material in compliance with all federal, state, provincial and local regulations. Incinerate in a furnace or bury in an approved landfill where permitted under appropriate federal, provincial and local regulations.



MATERIAL SAFETY DATA SHEET

Product: NNL 690G

PAGE 5 of 1

Date Revised: 3/07/2008, Rev: 4.0

SECTION XIV: Transport Information

Department of Transport: TDG – CanadaNot regulated under DOT
Not regulated under TDG.

DOT/TDG Proper Shipping Name:

DOT/TDG Hazard Class:

UN Number:

Packing Group:

None

DOT/TDG Labels: Primary:

Subsidiary:

None required

None required

None required

SECTION XV: Regulatory Information

CPR Compliance:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

OSHA Hazard Communication Standards 29CFR 1910.1200:

This product is not known to contain any of the carcinogens required to be listed under OSHA Hazards Communication Standards 29 CFR 1910.1200.

WHMIS Classification:

Not a controlled product under WHMIS.

CERCLA:

Not listed on CERCLA (40CFR 302.4). If this product is accidentally spilled, it is not subject to special reporting under requirements of the Comprehensive Environmental Response and Liability Act. We recommend you contact local authorities to determine if there may be other local reporting requirements.

SARA Title III Section 311/312:

Under the provisions of Title III, Section 311/312 of the Superfund Amendments and Reauthorization Act, this product is classified into the following hazard category: **NONE.**

SARA Title III Section 313:

This product does not contain more than 1 % of any of the chemical substances listed under SARA Section 313.

RCRA:

Not listed on the RCRA (40 CFR 261.33) for hazardous waste.

NPRI:

Not listed in the NPRI under Canadian EPA.

Chemical Inventory

Canada: The ingredients of this product are on the DSL.

United States: The ingredients of this product are on the TSCA



MATERIAL SAFETY DATA SHEET

Product: NNL 690G

PAGE 6 of 1 Date Revised: 3/07/2008, Rev: 4.0

SECTION XVI Other Information

HMIS Information

Degree of Hazard	HMIS Rating
4= Severe	Health 1
3= Serious	Flammability 1
2= Moderate	Reactivity 0
1= Slight	-
0= Minimal	

Revision Information

Prepared by: Maryn Research Phone: 1-403-252-2239

Effective Date: March 07, 2008 Supersedes: March 2, 2005

Revision: 3.0

Maryn International Ltd. (the "Company"), shall not be liable for any damages arising from the information contained on this data sheet howsoever caused, if the product in question is not employed in a normal or foreseeable use or circumstances. The Company shall not be liable for any indirect or consequential damages arising out of the use of the information contained on this data sheet howsoever caused.